Diabetes-related Hospitalizations

Diabetes-related Hospitalizations
•Most recent data (2012): 955.9 hospitalizations per 100,000, including 19,113 admissions.
•Trend over time: 2000-06: rising; 2006-12: falling
•Description: Includes hospitalizations where diabetes mellitus is present in any diagnosis field

Diabetes-related hospitalizations, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	1036.1	1029.6	1042.7	19858
AGE				
<18	46.1	43.2	49.1	191
18-24	138.0	130.4	146.0	246
25-44	337.4	330.9	344.0	2061
45-64	1398.7	1384.4	1413.2	7274
65+	4754.3	4712.9	4796.0	10086
GENDER				
Male	1115.9	1105.7	1126.2	9816
Female	976.5	967.9	985.3	10042
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	1634.8	1601.1	1669.0	1847
Medium	1040.8	1033.5	1048.2	16078
Low	683.3	668.3	698.7	1674
REGION				
East	674.4	663.6	685.3	3104
North	920.6	900.9	940.6	1758
Seattle	942.0	930.6	953.6	5481
South	1410.5	1397.6	1423.6	9514

Comparisons:

▭ Higher than King County rate (yellow)
▭ Lower than King County rate (green)

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Diabetes-related hospitalizations
King County, 2008-2012 average

Category	Rate^
King County	1036.1
Age <18	46.1
18-24	138.0
25-44	337.4
45-64	1398.7
65+	4754.3
Male	1115.9
Female	976.5
High Poverty	1634.8
Medium	1040.8
Low	683.3
East	674.4
North	920.6
Seattle	942.0
South	1410.5

Rate^

Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|------| Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.
§ Too few cases to meet precision standard, interpret with caution.
Data by race/ethnicity not available.
Poverty = Neighborhood poverty levels defined by median household income.

Diabetes-related hospitalizations by comparison areas

There is no Healthy People 2020 Objective for diabetes-related hospitalizations.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	N/A	N/A	N/A	N/A
WA State	2012	1185.8	1177.8	1193.9
King County	2012	955.9	942.1	969.9

Notes:

Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

Diabetes-related hospitalizations
by comparison areas

No
Healthy People
2020 Objective

United States
N/A

WA State
2012
1185.8
H

King County
2012
955.9
H

Rate^

| | 0 | 300 | 600 | 900 | 1200 |

Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|------| Confidence interval shows range that includes true value 95% of the time.

Diabetes-related hospitalizations by zip codes
King County, 2008-2012 average

^Rate
- 1448.5-2342.7
- 1118.0-1448.5
- 860.7-1118.0
- 594.3-860.7
- 353.2-594.3
- Too few cases to report

Diabetes-related hospitalizations
King County, 2000-2012, three-year rolling averages

Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.